



Quality
Lighting
for Every
Facility



Traditional Lighting: CFL



SATCO® SPIRAL COMPACT FLUORESCENT LAMP

• T2 • Mini • 13W • 120V • 82 CRI



	Voltage	Wattage	Kelvin	Lumens	Base	Life	Pack Size
611180	120	13	2700	800	GU24	10,000 hours	1
297525	120	13	4100	880	GU24	10,000 hours	1

SATCO® SPIRAL COMPACT FLUORESCENT LAMP

• T2 • Mini • 82 CRI



	Voltage	Wattage	Kelvin	Lumens	Base	Life	Pack Size
3553324	120	13	2700	900	Medium	12,000 hours	4
3553325	120	13	4100	880	Medium	12,000 hours	4

SYLVANIA DULUX® LAMP

• T4 • 82 CRI



	Wattage	Kelvin	Lumens	Base	Life	Pack Size
561281	13	4100	900	G24Q-1	20,000 hours	1
561286	26	4100	1,710	G24Q-3	20,000 hours	1
685438	13	3500	900	G24Q-1	20,000 hours	1
683048	13	4100	800	GX23	10,000 hours	1
683363	13	2700	800	GX23	10,000 hours	1
683050	13	4100	780	GX23-2	10,000 hours	1
645552	42	4100	3,200	GX24Q-4	12,000 hours	1

Traditional Lighting: Fluorescent

COMMERCIAL ELECTRIC™ LINEAR FLUORESCENT LAMP



	Desc.	Wattage	Kelvin	Lumens	Dimension	Base	Life	Pack Size
3564820	T8	32	3500	2,850	48"	Medium Bi-Pin	24,000 hours	30
3564821	T8	32	4100	2,850	48"	Medium Bi-Pin	24,000 hours	30
3564822	T8	32	5000	2,800	48"	Medium Bi-Pin	24,000 hours	30
3564819	T12	40	4100	2,500	48"	Medium Bi-Pin	24,000 hours	30

SYLVANIA PENTRON® ECOLOGIC® LINEAR FLUORESCENT LAMP



• T5 • 85 CRI • Mini Bipin

	Wattage	Kelvin	Lumens	Dimension	Base	Life	Pack Size
3553105	28	4100	2,600	48"	Miniature Bi-Pin	30,000 hours	40

SYLVANIA LINEAR FLUORESCENT LAMP

• T12 • Rapid Start



	Wattage	Kelvin	Lumens	Dimension	Base	Life	Pack Size
2489211	40	4100	2,150	48"	Medium Bi-Pin	20,000 hours	30
2489212	40	6500	2,180	48"	Medium Bi-Pin	20,000 hours	30
2489213	34	4100	1,925	48"	Medium Bi-Pin	20,000 hours	30

SATCO® HYGRADE CIRCLINE FLUORESCENT LAMP

• T9 • 62 CRI



	Wattage	Kelvin	Lumens	Dimension	Base	Life	Pack Size
2486762	22	4100	1,120	8"	G10Q	12,000 hours	12
2486763	32	4100	1,930	12"	G10Q	12,000 hours	12

SYLVANIA OCTRON® ECOLOGIC® LINEAR FLUORESCENT LAMP

• T8



	Wattage	Kelvin	Lumens	Dimension	Base	Life	Pack Size
2489153	17	4100	1,300	24"	Medium Bi-Pin	30,000 hours	30
2489156	32	4100	2,950	48"	Medium Bi-Pin	30,000 hours	30
2489155	32	3500	2,950	48"	Medium Bi-Pin	30,000 hours	30

SYLVANIA OCTRON® CURVALUME® ECOLOGIC® U-BEND FLUORESCENT LAMP

• T8



	Wattage	Kelvin	Lumens	Dimension	Base	Life	Pack Size
2489173	32	4100	2,750	22.5"	Medium Bi-Pin	20,000 hours	16



1.866.412.6726

LED Replacements

ECOSMART™ LED LAMP

• A19 • 80 CRI



	Watts	Kelvin	Lumens	Base	Life	Dimmable	Pack Size
3580139	9	2700	800	Medium	11,000 hours	No	8
3580140	9	4000	800	Medium	11,000 hours	No	8
3580141	9	5000	800	Medium	11,000 hours	No	8

SATCO® LED LAMP

• A19 • 80 CRI • Omnidirectional • Frosted



	Watts	Kelvin	Lumens	Base	Life	Dimmable	Pack Size
3577125	9.8	4000	800	GU24	25,000 hours	Yes	1

SATCO® LED LAMP

• 82 CRI • CFL Ballast Compatible



	Watts	Kelvin	Lumens	Base	Life	Dimmable	Pack Size
3589049	9	4000	1,000	G24Q-1	50,000 hours	No	1

SATCO® HI-PRO LED LAMP

• HID replacement • 80 CRI



	Description	Voltage	Watts	Kelvin	Lumens	Base	Life	Pack Size
3585270		100/277	54	5000	7,200	Mogul	50,000 hours	1
3585271		101/277	100	5000	13,300	Mogul	50,000 hours	1
3579079	Drop-Ship Only	102/277	40	5000	5,200	Mogul	50,000 hours	1
3579078	Drop-Ship Only	103/277	30	5000	3,900	Medium	50,000 hours	1

Replace Your Traditional CFL, Incandescent and HID Lamps with Cost- & Labor-Saving LED Technology



SYLVANIA SUBSTITUTE® VALUE LED GLASS LINEAR LAMP

• T8 • 82 CRI • Ballast-compatible • Plug & Play



	Watts	Kelvin	Lumens	Dimension	Base	Life	Pack Size	QTY
3580211	17	3500	2,100	48"	Medium Bi-Pin	36,000 hours	10	10 per Case
3578376	17	4100	2,200	48"	Medium Bi-Pin	36,000 hours	10	10 per Case
3581832	17	5000	2,200	48"	Medium Bi-Pin	36,000 hours	10	10 per Case

SYLVANIA LEDLESCENT™ LED LINEAR LAMP

• T8 • 82 CRI • Direct wire • Ballast bypass



	Voltage	Wattage	Kelvin	Lumens	Dim.	Base	Life	Pack Size	QTY
3589002	120	17	5000	2,200	48"	Medium Bi-Pin	50,000 hours	25	25 per Case
3586093	120	17	4000	2,200	48"	Medium Bi-Pin	50,000 hours	25	25 per Case
3589003	120	17	3000	2,200	48"	Medium Bi-Pin	50,000 hours	25	25 per Case

KEYSTONE LED HIGH EFFICIENCY LINEAR LAMP

• T8 • 83 CRI • Direct wire • Ballast bypass



	Wattage	Kelvin	Lumens	Dimension	Base	Life	Pack Size	QTY
3577891	7	4000	900	24"	Medium Bi-Pin	50,000 hours	25	25 per Case
3578215	15	4000	1,650	48"	Medium Bi-Pin	50,000 hours	25	25 per Case
3578216	15	5000	1,500	48"	Medium Bi-Pin	50,000 hours	25	25 per Case

LITHONIA LIGHTING® LED LITE PUFF WRAPAROUND

• White • Integrated LED included



	Voltage	Wattage	Kelvin	Lumens	Dimension
3573093	120	35	4000	3,100	4'

LITHONIA LIGHTING® LED STRIPLIGHT

• White



	Description	Voltage	Wattage	Kelvin	Lumens	Dimension
3573128	Uses (1) 25-Watt Integrated LED (Included)	120	25	4000	2,300	4'
3573129	Uses (2) 50-Watt Integrated LED (Included)	120/277	50	4000	4,500	4'

LITHONIA LIGHTING® LED LOW-PROFILE WRAPAROUND

• White • Integrated LED included



	Voltage	Wattage	Kelvin	Lumens	Dimension
3573105	120/277	41	4000	4,000	4'

LITHONIA LIGHTING® LED GTL LENSED LAY-IN TROFFER

• White • Integrated LED included



	Voltage	Wattage	Kelvin	Lumens	Dimension
3574355	120/277	41.2	3500	5,000	2' x 4'

LITHONIA LIGHTING® LED RETRO LINEAR FLUSH MOUNT WRAPAROUND

• Brushed nickel • Integrated LED included



	Voltage	Wattage	Kelvin	Lumens	Dimension
3574356	120	36	4000	3,400	4'

LITHONIA LIGHTING® LED GTL LENSED LAY-IN TROFFER

• White • Integrated LED included



	Voltage	Wattage	Kelvin	Lumens	Dimension
3578669	120/277	41.2	4000	5,500	2' x 4'

LITHONIA LIGHTING® LED LINEAR FLUSH MOUNT WRAPAROUND

• White • Integrated LED included



	Voltage	Wattage	Kelvin	Lumens	Dimension
3574357	120	20	4000	1,200	2'
3574358	120	40	4000	2,400	4'

LITHONIA LIGHTING® LED FULLY LUMINOUS LAY-IN TROFFER

• White • Integrated LED included



	Voltage	Wattage	Kelvin	Lumens	Dimension
3573083	120/277	34	4000	3,400	2' x 2'
3573084	120/277	42	4000	5,000	2' x 4'

Fixtures



LITHONIA LIGHTING® LED LAY-IN TROFFER WITH PRISMATIC LENS

• White • Integrated LED Included



	Voltage	Wattage	Kelvin	Lumens	Dimension
3573086	120	20	4000	2,000	2' x 2'
3573087	120	45	4000	4,000	2' x 4'

LITHONIA LIGHTING® LED LOW-PROFILE RECESSED TROFFER

• 82 CRI • White



	Description	Voltage	Wattage	Kelvin	Lumens	Dimension
3582550	Drop-Ship Only	120/277	30	4000	30	2' x 2'
3582551	Drop-Ship Only	120/277	82	4000	34	2' x 4'

LITHONIA LIGHTING® EDGE-LIT LED FLAT PANEL

• 80 CRI • White



	Description	Voltage	Wattage	Kelvin	Lumens	Dimension
3582552	Drop-Ship Only	120/277	31.3	4000	3,400	2' x 2'
3582553	Drop-Ship Only	120/277	38.8	4000	4,351	2' x 4'

LITHONIA LIGHTING® LED FLUSH MOUNT CEILING FIXTURE

• Dark bronze • Uses 45W integrated panel (included)



	Description	Voltage	Wattage	Kelvin	Lumens	Dimension
3579229	Drop-Ship Only	120/277	46.4	5000	4,297	10"

LITHONIA LIGHTING® LED FLUSH MOUNT CEILING FIXTURE

• Dark bronze • Uses 16.6W integrated panel (included)



	Description	Voltage	Wattage	Kelvin	Lumens	Dimension
3579230	Drop-Ship Only	120	16.6	4000	1,029	11-3/4"

LITHONIA LIGHTING® VERSI LITE™ LED FLUSH MOUNT CEILING FIXTURE

• Textured bronze • LED integrated panel array included



	Description	Voltage	Wattage	Kelvin	Lumens	Dimension
3581133	Drop-Ship Only	120	28	3000	1,898	13"
3581134	Drop-Ship Only	120	9.3	3000	642	7"

LITHONIA LIGHTING® LED OUTDOOR FLUSH MOUNT CEILING FIXTURE

• White • LED integrated panel array included



	Voltage	Wattage	Kelvin	Lumens	Dimension
3558777	120	16.6	4000	1,077	11-3/4"

LITHONIA LIGHTING® LED WALL PACK

• Textured dark bronze



	Description	Voltage	Wattage	Kelvin	Lumens	Dimension
3582554		120/277	28	5000	3,500	12-15/16" x 9" x 7-1/2"
3582555	Drop-Ship Only	120/277	40	5000	4,470	12-15/16" x 9" x 7-1/2"
3582556	Drop-Ship Only	120/277	49	5000	5,550	12-15/16" x 9" x 7-1/2"

LITHONIA LIGHTING® LED OUTDOOR DECORATIVE WALL SCONCE

• Dark bronze • Integrated LED included



	Voltage	Wattage	Kelvin	Lumens	Dimension
3573134	120	8.9	4000	461	8-8/9" x 12-1/2"

LITHONIA LIGHTING® LED DUSK TO DAWN 2-HEAD SECURITY LIGHT

• White • Uses (2) 20W integrated LED lamps (included)



	Voltage	Wattage	Kelvin	Lumens	Dimension
3573142	0	20	4000	1,770	6-3/10"

LITHONIA LIGHTING® LED DUSK TO DAWN OUTDOOR WALL PACK

• Bronze • LED Integrated panel array included



	Voltage	Wattage	Kelvin	Lumens	Dimension
3573145	120	70	5000	1,476	6-3/4" x 10-7/8"

LITHONIA LIGHTING® LED FLOODLIGHT, WIDE DISTRIBUTION

• Dark bronze • 71 CRI • Uses 49W integrated panel (included)



	Description	Voltage	Wattage	Kelvin	Lumens
3579228	Drop-Ship Only	120/277	45	5000	4,466

LITHONIA LIGHTING® LED WALL PACK WITH DUSK TO DAWN PHOTOCELL

• Dark bronze • LED integrated panel array



	Description	Voltage	Wattage	Kelvin	Lumens	Dimension
3589000	Drop-Ship Only	120/277	25	5000	2,100	6-1/2" x 11"

LITHONIA LIGHTING® CONTRACTOR SELECT™ QTE LED FLOODLIGHT



	Voltage	Wattage	Kelvin	Lumens
3588916	120	24	5000	2,500
3588915	120	40	5000	4,000
3588914	120	66	5000	6,750

LITHONIA LIGHTING® LED DUSK TO DAWN OUTDOOR WALL PACK

• Bronze • Uses (1) 4000K integrated LED (Included)



	Voltage	Wattage	Kelvin	Lumens	Dimension
3578668	120	50	4000	1,242	2-3/8" x 8-7/8"

We Have the Lighting Solutions Your Facility Needs

from the brands
you trust most.



ECOSMART™ LED LAMP

• A19 • 80 CRI

	Watts	Kelvin	Lumens	Base	Life	Dimmable	Pack Size
3580139	9	2700	800	Medium	11,000 hours	No	8
3580140	9	4000	800	Medium	11,000 hours	No	8
3580141	9	5000	800	Medium	11,000 hours	No	8

LITHONIA LIGHTING® LED LOW-PROFILE WRAPAROUND

• White • Integrated LED included



	Voltage	Wattage	Kelvin	Lumens	Dimension
3573105	120/277	41	4000	4,000	4'

COMMERCIAL ELECTRIC™ LINEAR FLUORESCENT LAMP



	Desc.	Watts	Kelvin	Lumens	Dimension	Base	Life	Pack Size
3564820	T8	32	3500	2,850	48"	Medium Bi-Pin	24,000 hours	30
3564821	T8	32	4100	2,850	48"	Medium Bi-Pin	24,000 hours	30
3564822	T8	32	5000	2,800	48"	Medium Bi-Pin	24,000 hours	30
3564819	T12	40	4100	2,500	48"	Medium Bi-Pin	24,000 hours	30

